

## KARNATAKA ANTIBIOTICS & PHARMACEUTICALS LIMITED

(A Government of India Enterprise)

| ENQUIRY REF. No. | KAPL/HW/015/0396     |  |  |
|------------------|----------------------|--|--|
| DATE             | 23/05/2024           |  |  |
| DUE DATE         | 27/05/2023(13.00HRS) |  |  |

Dear Sir,

Please submit your lowest and competitive offer in a SEALED ENVELOPE, DULY SUPERSCRIBING OUR ABOVE ENQUIRY REF. NO., DATE and DUE DATE on it/ OR MAIL, with other details of F.O.R terms, Taxes, Credit period, Delivery offered, Name of the Make, Detailed Specification etc., for below mentioned material/s

| SL.<br>NO. | ITEM CODE | ITEM DESCRIPTION                       | UOM | QTY. |
|------------|-----------|--|-----|------|
| 01         | HCR1058   | TOUGHENED GLASS SIZE-100MMX10MM (MCDP) | NOS | 05   |

## **OTHER TERMS:**

1. F.O.R TERMS

: DOOR DELIVERY

2. GST %

: PLEASE SPECIFY

3. PACKING & FORWARDING CHARGES

: NOT APPLICABLE

4. CREDIT PERIOD

: 30 DAYS

5. DELIVERY OFFERED

•

6. MAKE

: KROHNE

NOTE: IN CASE YOU ARE NOT QUOTING PLEASE SEND THE REGRET LETTER.

Thanking you,

Yours faithfully, For KARNATAKA ANTIBIOTICS & PHARMACEUTICALS LIMITED

YUVARAJA M

**DEPUTY MANAGER PURCHASE DEPT** 

## **ENGINEERING AND PROJECT DEPARTMENT**

**MATERIAL REQUISITION** 

| ١٥, | PR- | 2025 | F000 | 86 |
|-----|-----|------|------|----|
| ,   |     |      | V    | -  |

15/4/24 Engg. Stores

Date: 10. Apr. 2014

Through: HOD - E&P

Machine Name and Details: Mult: column Distillation

Section:

DES 1

Following are the details:

| SI.<br>No. | Item<br>Code No. | Item Description                  | UOM | Qty.  | Required Date | P.R. No.<br>& Date | Remarks   |
|------------|------------------|-----------------------------------|-----|-------|---------------|--------------------|-----------|
| 01.        | HCR1058          | Toughered yland<br>\$100mm x 10mm | No. | 50    |               | Required           | for MCDS  |
|            |                  | \$ 100 mm × 10 mm                 |     |       |               | Colum              | · · ·     |
|            |                  | [ For MCDP ]                      |     |       |               | - 1                |           |
|            |                  | -                                 |     |       |               |                    |           |
|            |                  |                                   |     |       |               |                    |           |
|            |                  |                                   |     |       |               |                    |           |
| 7          |                  |                                   |     |       | 05.4          | 000                |           |
|            |                  |                                   |     |       | OEM           | 201                | , Minbai  |
|            |                  |                                   |     |       | Bright        | Byonwa             | , M LWOUL |
|            |                  |                                   |     |       |               |                    |           |
|            |                  |                                   |     |       |               |                    |           |
|            |                  |                                   |     |       |               |                    |           |
|            |                  |                                   |     |       |               |                    |           |
|            |                  |                                   |     |       |               | 1-                 | 200       |
|            | 1 Am             | olulu Molarulas                   |     | N     | 4             |                    | 712 (1)   |
|            | ELSH?            |                                   | (   | DALCH | 1KM)          | Sm                 | (JRD)     |

JEYE/AM/DM/M