कर्नाटका एन्टिबायोटिक्स एण्ड फार्मास्युटिकल्स लिमिटेड (भारत सरकार का उद्यम)



ENQUIRY REF. No.	KAPL/DH/ME/013/0576
DATE	14/06/2024
DUE DATE	20/06/2024 (13.00HRS)

Dear Sir,

Please submit your lowest and competitive offer in a SEALED ENVELOPE, DULY SUPERSCRIBING OUR ABOVE ENQUIRY REF. NO., DATE and DUE DATE on it/ OR MAIL, with other details of F.O.R terms, Taxes, Credit period, Delivery offered, Name of the Make, Detailed Specification etc., for below mentioned material/s

SL. NO.	ITEM CODE	ITEM DESCRIPTION	ПОМ	
01	MNP2021	11 MM STANDARD CONCAVE PUNCH SETS -D" TOOLING	UOM	QTY
02	MGW2154	12.5MM ROUND STD CONCAVE PUNCHES & DIE SET D-	NOS	40
		100	NOS	40

## **OTHER TERMS:**

1. F.O.R TERMS

2. GST %

3. PACKING & FORWARDING CHARGES

4. CREDIT PERIOD 5. DELIVERY OFFERED : DOOR DELIVERY TO DHARWAD KARNATAKA : PLEASE SPECIFY

: NOT APPLICABLE

: 30 DAYS

NOTE: IN CASE YOU ARE NOT QUOTING PLEASE SEND THE REGRET LETTER.

Thanking you,

Yours faithfully,
For KARNATAKA ANTIBIOTICS
& PHARMACEUTICALS LIMITED

YUVARAJA M

DEPUTY MANAGER PURCHASE DEPT

## Karnataka Antibiotics and Pharmaceuticals Limited, Ayush Plant- Dharwad

PR No. 2025D00017

Date: 11.06.2024

Sub: Tablet compression punch set (Set-upper punch, lower punch and dies)

S.No	Item Code	Technical Specific	04-		
1	MGW2154	12.5 mm round standard concave punch ¨ set 'D' tooling		Qty	
		MOC of Punch	S-7	40 No's	
		MOC of die	HCHC D3	_	
		Inspection report	Must be given		
		MOC certificate	Must be given	_	
		Tool Drawing	Approval must be taken before manufacturing of punches		
		Punch Tooling PVC box	Must be given		
		Shape of tablet	Convex type , round shape	_	
	MNP2021	11 mm standard co	oncave punch & die set 'D' tooling		
		MOC of Punch	S-7	40 No's	
		MOC of die	HCHC D3P		
		Inspection report	Must be given	-	
		MOC certificate	Must be given		
		Tool Drawing	Approval must be taken before manufacturing of punches		
		Punch Tooling PVC	Must be given	1	
Į.		box	- dot be given		

\* Moc and Handness test report must be given,

ı-Bal

80.

U

:-Bal-Q

0.0

80.00

0.0