



**KARNATAKA ANTIBIOTICS &
PHARMACEUTICALS LIMITED**

(A Government of India Enterprise)

ENQUIRY REF. No.	KAPL/ME/013/0705
DATE	25/06/2024
DUE DATE	01/07/2024 TILL: 13.00 HRS

Dear Sir,

Please submit your lowest and competitive offer in a SEALED ENVELOPE, DULY SUPERSCRIBING OUR ABOVE ENQUIRY REF. NO., DATE and DUE DATE on it/ OR MAIL, with other details of F.O.R terms, Taxes, Credit period, Delivery offered, Name of the Make, Detailed Specification etc., for below mentioned material/s

SL. NO.	ITEM CODE	ITEM DESCRIPTION	UOM	QTY
1	MNP1075	SOLENOID VALVE 3/2 NC TYPE - E24002A MAX PR-10 BAR WITH COIL	NOS	15
2	MBO2081	STEAM TRAP SIZE:20NB FLOAT TYPE MK:SPIRAX MARSHALL 20NB BSP	NOS	15


OTHER TERMS

- | | |
|---------------------------------|-----------------------------|
| 1. F.O.R TERMS | : DOOR DELIVERY |
| 2. GST % | : PLEASE SPECIFY |
| 3. PACKING & FORWARDING CHARGES | : NOT APPLICABLE |
| 4. CREDIT PERIOD | : 30 DAYS |
| 5. DELIVERY OFFERED | : |
| 6. MAKE | : JANATICS, SPIRAX MARSHALL |
| 7. MODEL | : FT-14 CI |

NOTE: IN CASE YOU ARE NOT QUOTING PLEASE SEND THE REGRET LETTER.

Thanking you,

Yours faithfully,
For KARNATAKA ANTIBIOTICS
& PHARMACEUTICALS LIMITED


YUVARAJA M
DEPUTY MANAGER PURCHASE DEPT

ENGINEERING AND PROJECT DEPARTMENT

MATERIAL REQUISITION

PR # 20251-00495

Date : 20/06/2024

es

SI. No. **2248**

Through : HOD - E&P

(Signature)
20/06/2024

Line Name and Details : CPS, RO Plant & MCDP

ation : DPR-1

Following are the details :

Sl. No.	Item Code No.	Item Description	UOM	Qty.	Required Date	P.R. No. & Date	Remarks
01	MNP1075	Solenoid Valve 3/2NC Type - E2A002A max Pr-10b2 with coil make: Janatic	No	20 15	*		Required for DPR-1 water plant ^{2 CPS} on emergency made by pass * Last time raised PR but wrong material received then sent back Ref PO No: 2024F05540
02	MB02081	Steam trap 2012 (RSP) float type make: Spirax Marshall mdl: FT-11.07	No	01			Required for MCDP

(Signature)
HONK

JE / E / DM / M