



ENQUIRY REF. No.	KAPL/QAD/020/0803
DATE	05/07/2024
DUE DATE	10/07/2024 (13.00HRS)

Dear Sir,

Please submit your lowest and competitive offer in a SEALED ENVELOPE, DULY SUPERSCRIBING OUR ABOVE ENQUIRY REF. NO., DATE and DUE DATE on it/ OR MAIL, with other details of F.O.R terms, Taxes, Credit period, Delivery offered, Name of the Make, Detailed Specification etc., for below mentioned material/s

SL. NO.	ITEM CODE	ITEM DESCRIPTION	UOM	QTY
01	QSPHPL472	150MM X3.9MM,C18 5 MICROMETER HPLC COLUMN	NOS	02

**OTHER TERMS:**

- |                                 |                  |
|---------------------------------|------------------|
| 1. F.O.R TERMS                  | : DOOR DELIVERY  |
| 2. GST %                        | : PLEASE SPECIFY |
| 3. PACKING & FORWARDING CHARGES | : NOT APPLICABLE |
| 4. CREDIT PERIOD                | : 30 DAYS        |
| 5. DELIVERY OFFERED             | :                |

**NOTE: IN CASE YOU ARE NOT QUOTING PLEASE SEND THE REGRET LETTER.**

Thanking you,

Yours faithfully,  
For KARNATAKA ANTIBIOTICS  
& PHARMACEUTICALS LIMITED

  
YUVARAJA M  
DEPUTY MANAGER PURCHASE DEPT



# KARNATAKA ANTIBIOTICS AND PHARMACEUTICALS LIMITED, BENGALURU

CEPHALOSPORIN QUALITY CONTROL DEPARTMENT

## User Requirement Specifications

Material Description: HPLC Symmetry C18 Column 100 Å, 150mm x 3.9 mm x 5 µm

URS Number: CEPHAQC/URS/004

### 1. Description and Quantity

Material Description	HPLC Symmetry C18 Column 100 Å, 150mm x 3.9 mm x 5 µm
Item Code	QSPHPL472
Quantity/Box	2 Nos

### 2. User Specifications

#	Requirement	Specification
1.	Brand Name	HPLC Symmetry C18 Column 100 Å, 150mm x 3.9 mm x 5 µm
2.	Make	WATERS
3.	Part No.	WAT046980
4.	Particle size	5 µm
5.	Surface Area (m <sup>2</sup> /g)	335
6.	Length	150mm
7.	Internal Diameter (I.D.)	3.9 mm
8.	Pore Size	100 Å
9.	Carbon load	19%
10.	Particle Substrate	Silica
11.	Endcapped	YES
12.	Mode of Chromatography	Reversed Phase
13.	Construction Materials	Stainless Steel
14.	USP Classification	L1
15.	Separation Mode	Reversed Phase
16.	pH Range	2-8
17.	Maximum Pressure	6000 psi (415 Bar)