



ENQUIRY REF. No.	KAPL/DH/EL/012/1112
DATE	16.08.2024
DUE DATE	21/08/2024 (13.00HRS)

Dear Sir,

Please submit your lowest and competitive offer in a SEALED ENVELOPE, DULY SUPERSCRIBING OUR ABOVE ENQUIRY REF. NO., DATE and DUE DATE on it/ OR MAIL, with other details of F.O.R terms, Taxes, Credit period, Delivery offered, Name of the Make, Detailed Specification etc., for below mentioned material/s

SL. NO.	ITEM CODE	ITEM DESCRIPTION	UOM	QTY
01	ECL1029	TELEPHONE CABLE 2 PAIR COIL	MTR	180

- 1) Please ensure that your offer reaches us on or before Due Date by courier OR speed post Or you can also mail us to our email: puren@kaplindia.com
2) Please send your quotation mentioning item code

OTHER TERMS:

1. F.O.R TERMS
2. GST %
3. PACKING & FORWARDING CHARGES
4. CREDIT PERIOD
5. DELIVERY OFFERED

- : DOOR DELIVERY TO DHARWAD KARNATAKA
: PLEASE SPECIFY
: NOT APPLICABLE
: 30 DAYS
:

NOTE: IN CASE YOU ARE NOT QUOTING PLEASE SEND THE REGRET LETTER.

Thanking you,

Yours faithfully,
For KARNATAKA ANTIBIOTICS
& PHARMACEUTICALS LIMITED


YUVARAJA M
DEPUTY MANAGER PURCHASE DEPT

KARNATAKA ANTIBIOTICS AND PHARMACEUTICALS LIMITED,
AYUSH PLANT- DHARWAD

Electrical spares

Date: 29/07/2024

PR No. 2025D00094

Sl. NO.	Item code	Technical description	Qty.
1	ECL1029	TELEPHONE CABLE 2 PAIR COIL (ACT) Make - Havells/Finolex Sheathing - FR PVC Conductor size - 0.4 mm Conductor - Tinned copper Color - Grey Insulation - PVC	180MTR

AP
nd.
Please

PURCHASE REQUEST JUSTIFICATION FORM

To	From
Purchase committee KAPL-Peenya	E& P Dept. KAPL-Ayush Plant Dharwad

PR No 2025D00034	Date 23.07.2024
-------------------------	------------------------

Item Code	Item Description
------------------	-------------------------

ECL1029	TELEPHONE CABLE 2 PAIR COIL (ACT)
---------	-----------------------------------

Last purchased details and quantity	New purchase
--	---------------------