



**KARNATAKA ANTIBIOTICS &  
PHARMACEUTICALS LIMITED**

(A Government of India Enterprise)

ENQUIRY REF. No.	K-E&P/SR/1272/2024-25
DATE	05.09.2024
DUE DATE	12.09.2024 till 1:00 PM

Dear Sir,

Please submit your lowest and competitive offer in a SEALED ENVELOPE, DULY SUPERSCRIBING OUR ABOVE ENQUIRY REF. NO., DATE and DUE DATE on it. Mentioned other details of F.O.R terms, Taxes, Credit period, Delivery offered, Name of the Make, Detailed Specification etc., for the below Supply or Service

Sl No	Item Code	Item Description	Uom	Qty
01	----	<b>RECTIFICATION OF PRODUCTION ENTRY ACCESS CONTROL ISSUE AT DPP1 SECTION AS PER DETAILS REFER REPAIR ADVICE NOTE ENCLOSED</b>	No.	01

Please ensure that your offer reaches us on or before Due Date by courier OR Speed post or by Hand in sealed cover only to below office address:

**M/s. Karnataka Antibiotics and Pharmaceuticals Limited  
Plot No.37, Arka The Business Centre, NTTF Main Road, Peenya Industrial Area  
2<sup>nd</sup> Phase, Bengaluru-560058 Ph. No.080-23571590**


NOTE:

01. PLEASE VISIT OUR SITE FOR BETTER UNDERSTANDING THE SCOPE OF WORK
02. IF YOU ARE NOT PARTICIPATING IN THE TENDER PLEASE SEND A REGRET LETTER.
03. VENDOR HAS TO QUOTE AS PER OUR TENDER IN YOUR COMPANY LETTER HEAD.
04. QUOTATION MUST BE SUBMITTED IN TWO SEALED COVERS (TECHNICAL & COMMERCIAL BID) SEPARATELY AND IN ONE ENVELOPE OR ELSE YOUR PROPOSAL WILL NOT BE CONSIDERED.

IF YOU NEED ANY CLARIFICATION, PLEASE CONTACT US.

Thanking you,

Yours faithfully,  
For KARNATAKA ANTIBIOTICS  
& PHARMACEUTICALS LIMITED

  
YUVARAJA. M  
DY. MANAGER – PURCHASE DEPT.  
MOB: 9945317873

1257

SL.No: K-E&P/DPP1-458

Date: 26/08/2024

REPAIR ADVICE NOTE

*W. Ab 28/08/2024*

To: Purchase Dept.	Through: DGM(KDP)	From: E&P
--------------------	-------------------	-----------

Dear Sir,

Sub: DPP1 section – Production entry access control issue needs to be rectified.

With reference to the above subject, at DPP1 section Production entry access control issue needs to be rectified for adding new operators/casuals and times also showing wrong. Please call the vendor for below mentioned work,

1. To add/update the person details, software needs to be installed to KAPL Laptop.
2. Time error needs to be corrected.
3. Training needs to provide for KAPL team.

Note: Instrument details are as follows:

- a. Model #: BioScribe 2C
- b. Part #: BSC-2c-P-1M
- c. Make: SPECTRA

For only Technical Clarification Contact details:

1. Naveen Kumar H V      Mob: 8123707510
2. Narendra Prasad B      Mob: 7795328732

KAPL  
 28 AUG 2024  
 RECEIVED ON

*N.A.*  
26/08/2024  
E (HVNK)

*and*  
DM (MKM)

*SPD*  
27/08/2024  
SM (SRD)