



**KARNATAKA ANTIBIOTICS &  
PHARMACEUTICALS LIMITED**

(A Government of India Enterprise)

ENQUIRY REF. No.	K-E&P/DP/SR/0034/2025-26
DATE	09.04.2025
DUE DATE	16.04.2025 till 1:00 PM

Dear Sir,

Please submit your lowest and competitive offer in a SEALED ENVELOPE, DULY SUPERSCRIBING OUR ABOVE ENQUIRY REF. NO., DATE and DUE DATE on it. Mentioned other details of F.O.R terms, Taxes, Credit period, Delivery offered, Name of the Make, Detailed Specification etc., for the below Supply or Service

SI No	Item Code	Item Description	Uom	Qty
01		LAMINAR AIR FLOW VALIDATION (BOQ ATTACHED)	NOS.	01

Please ensure that your offer reaches us on or before Due Date by courier OR Speed post or by Hand in sealed cover to below office address or email to [purennp@kaplindia.com](mailto:purennp@kaplindia.com):

M/s. Karnataka Antibiotics and Pharmaceuticals Limited  
Plot No.37, Arka The Business Centre, NTTF Main Road, Peenya Industrial Area  
2<sup>nd</sup> Phase, Bengaluru-560058 Ph. No.080-23571590

**NOTE:**

01. PLEASE VISIT OUR SITE FOR BETTER UNDERSTANDING THE SCOPE OF WORK
02. IF YOU ARE NOT PARTICIPATING IN THE TENDER PLEASE SEND A REGRET LETTER.
03. VENDOR HAS TO QUOTE AS PER OUR TENDER IN YOUR COMPANY LETTER HEAD.

IF YOU NEED ANY CLARIFICATION, PLEASE CONTACT US.

Thanking you,

Yours faithfully,  
For KARNATAKA ANTIBIOTICS  
& PHARMACEUTICALS LIMITED

YUVARAJA. M  
DY. MANAGER – PURCHASE DEPT.  
MOB: 9945317873

**Karnataka Antibiotics and Pharmaceuticals Limited,  
Ayush Plant- Dharwad**

PR No. 2025D00184

Date: 28.03.2025




**SUB: LAMINAR AIR FLOW VALIDATION**

**ITEM CODE-MGW2545**

Sl.No	Technical Description	Qty
1.	<b>Laminar Air Flow Validation</b> 1. Air velocity measurement test/ACPH 2. Air flow pattern test/Smoke Test 3. Non viable particle count test 4. HEPA filter integrity test for LAF by PAO Validation to be carried out as per ISO 14644 - 2015 guidelines	01 NO

**Terms and Conditions**

1. Valid calibrated instruments should be used for testing and instruments traceable certificate to be submit before execution of work.
2. Test reports and Air flow pattern Test video CD to be submit within week.
3. Transportation and convenience charges to be included if applicable.
4. The Billing for Validation should be charged on actual only.
5. Necessary safety measure to be taken during work.
6. Vendor should have past well experience in execution of work.
7. GST as applicable at the time of billing.

Preparer By	Checked By	Approved By
 28/03/25	 28/03/2025	
JE(SRS)	AM (BSL)	SM (NG)